

# BLOOD GLUCOSE METERS

Brought to you by **NIPRO DIAGNOSTICS™**



**TRUE2go®**  
(Nipro Diagnostics, Inc.)



**TRUEresult®**  
(Nipro Diagnostics, Inc.)



**Sidekick®**  
(Nipro Diagnostics, Inc.)



**Precision Xtra™**  
(Abbott Diabetes Care)



**FreeStyle Lite®**  
(Abbott Diabetes Care)



**FreeStyle Freedom Lite®**  
(Abbott Diabetes Care)

Meter	Manufacturer	Hematocrit Range (percent)	Sample Size (microliters)	Plasma / Whole-Blood Calibration	Results Time (seconds)	Size (inches)	Weight (ounces)
<b>TRUE2go®</b>	Nipro Diagnostics, Inc.	20 to 60	0.5	Plasma	4	1.70 × 1.46 × 0.89	0.6
<b>TRUEresult®</b>		20 to 60	0.5	Plasma	4	3.44 × 2.16 × 0.69	1.66
<b>Sidekick®</b>		30 to 55	1.0	Plasma	5	1.7 × 1.5 × 2.5	1.6
<b>TRUEtrack®</b>		30 to 55	1.0	Plasma	10	3.52 × 2.15 × 0.67	1.66
<b>FreeStyle Lite®</b>	Abbott Diabetes Care	15 to 65	0.3	Plasma	5	1.57 × 2.9 × 0.65	1.5
<b>Freestyle Freedom Lite®</b>		15 to 65	0.3	Plasma	5	2.0 × 3.3 × 0.63	1.5
<b>Precision Xtra®</b>		30 to 60	0.6	Plasma	5	2.94 × 2.1 × 0.64	1.48
<b>WaveSense™ KeyNote™</b>	AgaMatrix™	20 to 60	0.5	Plasma	6	1.6 × 2.8 × 0.6	1.55
<b>Up and Up™</b>		20 to 60	0.5	Plasma	6	1.7 × 3.0 × 0.6	1.65
<b>Kroger™</b>		20 to 60	0.5	Plasma	6	1.7 × 3.0 × 0.6	1.65
<b>WaveSense™ Presto</b>		20 to 60	0.5	Plasma	6	1.7 × 3.0 × 0.6	1.65
<b>WaveSense™ Jazz</b>		20 to 60	0.5	Plasma	6	1.81 × 3.27 × 0.79	1.69
<b>ReliOn Confirm</b>	ARKRAY	30 to 54	0.3	Plasma	7	2.0 × 3.9 × 0.5	1.6
<b>GLUCOCARD Vital™</b>		33 to 52	0.5	Plasma	7	3.0 × 2.0 × 0.5	1.5
<b>GLUCOCARD 01</b>		30 to 54	0.3	Plasma	7	2.0 × 3.9 × 0.5	1.6
<b>GLUCOCARD 01 Mini</b>		30 to 54	0.3	Plasma	7	3.6 × 1.2 × 0.5	1.1
<b>ReliOn Micro</b>		30 to 54	0.3	Plasma	7	3.6 × 1.3 × 0.6	1.1 (w/battery)



**WaveSense™ Jazz  
(AgaMatrix™)**



**Kroger  
(AgaMatrix™)**



**Up and Up  
(AgaMatrix™)**



**GLUCOCARD Vital  
(ARKRAY)**



**ReliOn Micro  
(ARKRAY)**

Meter Operating Range (degrees F)	Memory (results)	Computer Download	Altitude Limit (feet)	Approved for Alternate-Site Testing	Coding Required	Tech Support/Comments
50 to 104	99	No	10,150	Yes	No	(800) 803-6025 customer@niprodiagnostics.com www.niprodiagnostics.com
50 to 104	500	Yes	10,150	Yes	No	
34 to 86	50	No	10,150	Yes	No	
50 to 104	365	Yes	10,150	Yes	Yes	
40 to 104	400	Yes	10,000	Yes	No	(888) 522-5226
40 to 104	400	Yes	10,000	Yes	No	
50 to 122	450	Yes	7,200	Yes	Yes	
50 to 104	300	Yes/USB	10,000	Yes	Yes	Customer Service Toll Free: (866) 906-4197 customerservice@agamatrix.com
50 to 104	300	Yes/USB	10,000	Yes	No	
50 to 104	300	Yes/USB	10,000	Yes	No	
50 to 104	300	Yes/USB	10,000	Yes	No	
50 to 104	1,865	Yes/USB	10,000	Yes	No	
50 to 104	360	Yes	10,000	Yes, on the palm	No	(800) 631-0076
50 to 104	250	Yes	10,000	Yes, on the palm	No	
50 to 104	360	Yes	10,000	Yes, on the palm	No	
50 to 104	50	No	10,000	Yes, on the palm	No	
50 to 104	50 with time and date stamp	No	10,000	Yes, on the palm	No	

Printer-friendly charts are available at [www.DiabetesHealth.com/charts](http://www.DiabetesHealth.com/charts)

# BLOOD GLUCOSE METERS

Brought to you by **NIPRO DIAGNOSTICS™**



**Contour® USB**  
(Bayer)



**Contour**  
(Bayer)



**Breeze2**  
(Bayer)



**OneTouch Ultra2**  
(LifeScan)



**OneTouch UltraMini**  
(LifeScan)



**Nova Max® Link™**  
(Nova Biomedical)

Meter	Manufacturer	Hematocrit Range (percent)	Sample Size (microliters)	Plasma/Whole-Blood Calibration	Results Time (seconds)	Size (inches)	Weight (ounces)
<b>Contour®</b>	Bayer Diabetes Care	0 to 70	0.6	Plasma	5	3.0 × 2.2 × 0.75	1.7
<b>Contour® USB</b>		0 to 70	0.6	Plasma	5	3.8 × 1.2 × 0.6	1.5
<b>Breeze®2</b>		20 to 55	1.0	Plasma	5	4.5 × 2.7 × 1.1	3.8
<b>OneTouch UltraSmart</b>	LifeScan	30 to 55	1.0	Plasma	5	3.8 × 2.3 × 0.9	2.8
<b>OneTouch Ultra2</b>		30 to 55	1.0	Plasma	5	3.12 × 2.25 × 0.90	1.5
<b>OneTouch UltraMini</b>		30 to 55	1.0	Plasma	5	4.25 × 1.26 × .67	1.2
<b>Nova Max® Plus (glucose/blood ketone)</b>	Nova Diabetes Care	25 to 60	0.3	Plasma	5	3.6 × 2.3 × 0.9	2.65
<b>Nova Max® Link™</b>		25 to 60	0.3	Plasma	5	3.6 × 2.3 × 0.9	2.65
<b>Advocate Redi-Code</b>	Pharma Supply, Inc.	20 to 60	0.7	Plasma	7	3.42 × 1.77 × 0.75	2.56
<b>Advocate Redi-Code Dash</b>		20 to 60	0.7	Plasma	7	3.5 × 1.25 × 0.5	1.2
<b>Advocate Redi-Code Duo</b>		20 to 60	0.7	Plasma	7	2.95 × 2.48 × 1.6	5.57
<b>Prodigy Pocket™</b>	Prodigy Diabetes Care, LLC	20 to 60	0.7	Plasma	7	3.54 × 1.38 × 0.83	1.2
<b>Prodigy AutoCode® (Talking Meter)</b>		20 to 60	0.7	Plasma	7	3.79 × 1.79 × 1	1.86
<b>Prodigy Voice™ (Talking Meter)</b>		20 to 60	0.7	Plasma	6	3.78 × 2.05 × 0.91	2.76
<b>Embrace™ Blood Glucose Monitoring System</b>	Omnis Health	30 to 55	0.6	Plasma	6	3.9 × 2.1 × 0.8	3.17



**Embrace™ Blood Glucose Monitoring System (Omnis Health)**



**Nova Max® Plus (Nova Biomedical)**



**Advocate Redi-Code Dash (Pharma Supply, Inc.)**



**Advocate Redi-Code Duo (Pharma Supply, Inc.)**



**Prodigy Pocket™ (Prodigy Diabetes Care, LLC)**



**Prodigy AutoCode® (Prodigy Diabetes Care, LLC)**

Meter Operating Range (degrees F)	Memory (results)	Computer Download	Altitude Limit (feet)	Approved for Alternate-Site Testing	Coding Required	Tech Support/Comments
41 to 113	480	Yes	10,000	Yes	No	(800) 348-8100 Intuitive meal markers and alarms
41 to 113	2000	Integrated w/meter. Yes, via USB	10,000	Yes	No	(800) 348-8100 Plug-in. Know more. Take action.
50 to 104	420	Yes	10,000	Yes	No	(800) 348-8100 10-test disc
43 to 111	3,000	Yes	10,000	Yes	Yes (all strips code 25)	(800) 227-8862 www.onetouch.com
43 to 111	500	Yes	10,000	Yes		
43 to 111	500	Yes	10,000	Yes		
57 to 104	400	Yes	10,000	Yes	No	(800) 681-7390 Measures both glucose and blood ketones
57 to 104	400	Yes	10,000	Yes	No	(800) 681-7390 Communicates to Medtronic Paradigm® Insulin Pump 512, 712, or higher
50 to 104	450	Yes	10,742	Yes	Yes	(866) 373-2824
50 to 104	150	No	10,742	Yes	No	
50 to 104	450	Yes	10,742	Yes	No	
50 to 104	120	Yes/free	10,700	Yes	No	(800) 243-2636 www.prodigymeter.com
50 to 104	120	Yes/free	10,700	Yes	No	
50 to 104	450	Yes/free	10,700	Yes	No	Prodigy® Voice is designed for the blind, with many unique features
50 to 104	300 with date and time	Yes	6,500	Yes	No	(877)-979-5454 or visit omnishealth.com

Printer-friendly charts are available at [www.DiabetesHealth.com/charts](http://www.DiabetesHealth.com/charts)

# BLOOD GLUCOSE METERS

Brought to you by **NIPRO DIAGNOSTICS**



**Accu-Chek® Aviva**  
(Roche)



**Accu-Chek® Compact Plus**  
(Roche)



**ReliOn® Ultima**  
(Solartek Products, Inc.)



**Infinity™**  
(U.S. Diagnostics, Inc.)



**Control AST**  
(U.S. Diagnostics, Inc.)




**EasyGluco**  
(U.S. Diagnostics, Inc.)

Meter	Manufacturer	Hematocrit Range (percent)	Sample Size (microliters)	Plasma/Whole-Blood Calibration	Results Time (seconds)	Size (inches)	Weight (ounces)
<b>ACCU-CHEK® Aviva</b>	Roche	20 to 70	0.6	Plasma	5	3.7 × 2.1 × 0.9	2.12
<b>ACCU-CHEK® Compact Plus</b>		25 to 65	1.5	Plasma	5	4.9 × 2.5 × 1.3 (with lancing device) 4.8 × 2.2 × 1.3 (w/o lancing device)	5.2
<b>ReliOn® Ultima</b>	Solartek Products, Inc.	30 to 60	0.6	Plasma	5	2.9 × 2.1 × 0.6	1.48
<b>EasyGluco</b>	U.S. Diagnostics, Inc.	30 to 55	1.0	Plasma	9	3.6 × 2.1 × 0.9	1.9
<b>Infinity™</b>		20 to 60	0.5	Plasma	5	3.2 × 2.1 × 0.7	1.8
<b>Acura™</b>		20 to 60	0.5	Plasma	5	3.5 × 1.9 × 0.5	1.8
<b>Control AST</b>		30 to 55	1.0	Plasma	5	3.6 × 2.1 × 0.9	1.9

Meter	Manufacturer	Meter Operating Range (degrees F)	Memory (results)	Computer Download	Altitude Limit (feet)	Approved for Alternate-Site Testing	Coding Req'd	Tech Support/Comments
<b>ACCU-CHEK® Aviva</b>	Roche	43 to 111	500	Yes	10,150	Yes	Yes	(800) 858-8072 www.accu-chek.com Open 24 hours a day
<b>ACCU-CHEK® Compact Plus</b>		50 to 104	500	Yes	10,150	Yes	No	
<b>ReliOn® Ultima</b>	Solartek Products, Inc.	50 to 122	450	Yes	7,200	Yes	Yes	(800) 992-3612 Available only at Wal-Mart and Sam's Club
<b>EasyGluco</b>	U.S. Diagnostics, Inc.	50 to 95	200	Yes	10,000	Yes	Yes	(866) 216-5308
<b>Infinity™</b>		50-104	365	Yes	10,000	Yes	No	
<b>Acura™</b>		50-104	250	Available soon	10,000	Yes	No	
<b>Control AST</b>		50 to 95	250	Yes	10,000	Yes	Yes	

1. Accuracy Study of Blood Glucose Monitoring Systems: Evaluation of the TRUEresult® OneTouch® Ultra®2, Ascensia® CONTOUR®, and FreeStyle Freedom® Lite Systems. 2. Data on file. Based on paying cash for 100 of test strips and testing three times per day. 3. Offer for 30-day supply of TRUEtest® Strips. Program does not cover each claim, claim selected by a managed care plan, discount card claims, or claims where the reimbursement is the same as your in-network Medicare, Medicaid, TRICARE, or FFP. NID-2714 © 2011 Nipro Diagnostics, Inc. TRUEresult, TRUEtest, and the Nipro Diagnostics logo are trademarks of Nipro Diagnostics, Inc. All other brand names and product names are trademarks of their respective owners.



0.5 Microliter Blood Sample

0.5 Microliter Blood Sample

0.5 Microliter Blood Sample

## Accuracy That's On Target.

TRUEresult® hits the mark for accuracy and performance. A clinical study by a leading diabetes research center proved that TRUEresult® performs as well as OneTouch® Ultra®2, Ascensia® CONTOUR®, and FreeStyle Freedom® Lite.<sup>1</sup> What's more, TRUEtest™ Strips save cash payers up to \$400 per year, or may only require a \$15 co-pay with insurance.

Learn more about TRUEresult® at [niprodiagnostics.com](http://niprodiagnostics.com).



Scan this code with your smart phone for additional TRUEresult® information. Always refer to the Owner's Booklet for detailed product information.

Find us on



TRUEresult®

NIPRO  
DIAGNOSTICS™